

9F, No. 108, Jhouzih St., Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

## **Datasheet**

## ACTR1A MaxPab mouse polyclonal antibody (B01)

Catalog Number: H00010121-B01

Regulation Status: For research use only (RUO)

Product Description: Mouse polyclonal antibody raised

against a full-length human ACTR1A protein.

**Immunogen:** ACTR1A (NP\_005727.1, 1 a.a. ~ 376 a.a)

full-length human protein.

## Sequence:

MESYDVIANQPVVIDNGSGVIKAGFAGDQIPKYCFPNY VGRPKHVRVMAGALEGDIFIGPKAEEHRGLLSIRYPME HGIVKDWNDMERIWQYVYSKDQLQTFSEEHPVLLTEA PLNPRKNRERAAEVFFETFNVPALFISMQAVLSLYATG RTTGVVLDSGDGVTHAVPIYEGFAMPHSIMRIDIAGRD VSRFLRLYLRKEGYDFHSSSEFEIVKAIKERACYLSINP QKDETLETEKAQYYLPDGSTIEIGPSRFRAPELLFRPDL IGEESEGIHEVLVFAIQKSDMDLRRTLFSNIVLSGGSTL FKGFGDRLLSEVKKLAPKDVKIRISAPQERLYSTWIGG SILASLDTFKKMWVSKKEYEEDGARSIHRKTF

Host: Mouse

Reactivity: Human

Applications: WB-Ti, WB-Tr

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Storage Buffer: No additive

Storage Instruction: Store at -20°C or lower. Aliquot to

avoid repeated freezing and thawing.

Entrez GenelD: 10121

Gene Symbol: ACTR1A

Gene Alias: ARP1, CTRN1, FLJ52695, FLJ52800,

FLJ55002

Gene Summary: This gene encodes a 42.6 kD subunit

of dynactin, a macromolecular complex consisting of 10-11 subunits ranging in size from 22 to 150 kD. Dynactin binds to both microtubules and cytoplasmic dynein. It is involved in a diverse array of cellular functions, including ER-to-Golgi transport, the centripetal movement of lysosomes and endosomes, spindle formation, chromosome movement, nuclear positioning, and axonogenesis. This subunit is present in 8-13 copies per dynactin molecule, and is the most abundant molecule in the dynactin complex. It is an actin-related protein, and is approximately 60% identical at the amino acid level to conventional actin. [provided by RefSeq]