





A Geno Technology, Inc. (USA) brand name

Active Recombinant Human Caspase-1

(Cat. RCH-001)



INTRODUCTION

Caspase-1 is a member of the caspase family of cysteine proteases. It exists in cells as an inactive 45 kDa pro-enzyme. The pro-enzyme is matured by proteolysis to yield large (20 kDa) and small (10 kDa) subunits. The active enzyme is a heterotetramer consisting of two large and two small subunits.

ITEM(S) SUPPLIED (Cat. #RCH-001)

Description	Size
Active Recombinant Human Caspase-1 (Lyophilized)	25 Units x 1 vial

STORAGE CONDITIONS

It is shipped in blue ice. The lyophilized caspase-1 is stable for 1 year at -70°C. Following reconstitution in PBS, the enzyme should be aliquoted and stored at -70°C.

Note: Avoid multiple freeze/thaw cycles as activity might decrease.

UNIT DEFINITION

One unit of the recombinant caspase-1 is the enzyme activity that cleaves 1 nmol of the caspase substrate YVAD-pNA (pNA: pnitroanaline) per hour at 37°C in a reaction solution containing 50mM HEPES (pH 7.2), 50mM NaCl, 0.1% CHAPS, 10mM EDTA, 5% Glycerol, and 10mM DTT.

Specific Activity: 8,000Units/mg

PREPARATION BEFORE USE

Reconstitute the supplied Casapse-1 to 1 unit per µl in PBS.

APPLICATIONS AND USAGE

The active recombinant human caspase-1 was expressed in *E. coli*. The active caspase-1 preferentially cleaves caspase-1 substrates (e.g., YVAD-AFC or YVAD-*pNA*). In combination with caspase-I activity assays, the enzyme is useful in screening caspase inhibitors, studying enzyme regulation and kinetics and determining target substrate. It also can be used as a positive control in caspase-I activity assays. We recommend using 1 unit per assay for analyzing caspase activity.

RELATED PRODUCTS

Download our Bioassays and Protein Assays Handbook.



http://info2.gbiosciences.com/complete-bioassay-handbook http://info2.gbiosciences.com/complete-protein-assay-quide

For other related products, visit our website at www.GBiosciences.com or contact us.

Last saved: 3/17/2014 TNN



www.GBiosciences.com